



V A L C A N

The Defining Standard

Sheathing Board Construction Materials



procellapro®

Non-combustible Sheathing Board



FIRE RATED
Non-Combustible

INTRODUCING PROCELLAPRO®: THE ULTIMATE NON-COMBUSTIBLE BUILDING SOLUTION

Build with Confidence and Safety

Discover ProcellaPro®, the A1 fire-rated, calcium silicate-based fibre cement board by Valcan.

Engineered for structural strength and non-combustibility, ProcellaPro® is the trusted choice for projects requiring the highest level of fire safety.

Unmatched Performance and Versatility

ProcellaPro® proudly holds an impressive A1 rating to BS EN 13501-1, with a PCS value of 0.85MJ/kg. Free from wood chips found in some cement particle boards, it is suitable for projects over 11m in height. Architects and construction professionals trust ProcellaPro® for its performance and versatility.

Unlock the Potential of ProcellaPro®

ProcellaPro® offers exceptional rigidity, strength, and remarkable sound damping capabilities with its standard 12mm thickness. T

his versatile building material is ideal for various applications, providing reliability and durability.

Picture: ProcellaPro®
installation at Burrells
Wharf in London.



UNMATCHED BENEFITS FOR YOUR PROJECT



Sound Dampening Properties: Create peaceful & serene environments with ProcellaPro®'s excellent sound dampening capabilities.



Non-Combustible: Ensure utmost safety and compliance with the highest fire safety standards.



Easy On-Site Cutting: ProcellaPro® is a breeze to cut, allowing for precise and efficient installations tailored to your project's needs.



Unparalleled Strength: Experience the remarkable strength and stability of ProcellaPro® in every application.



Swift Lead Times: Time is of the essence, and ProcellaPro® is designed to expedite your construction process.



Screw-Friendly Panel: Easily secure insulation fixings onto ProcellaPro® for added convenience and efficiency.



FIRE RATED
Non-Combustible





Picture:
ProcellaPro® samples available on request.

APPLICATIONS AS DIVERSE AS YOUR IMAGINATION



ProcellaPro® excels in various applications, including:

- ▼ External face of SFS/stud framing
- ▲ Internal wall linings
- ▶ Tile backer board
- ▼ Roofing board
- ▲ Ceilings
- ▼ Render boards



Width

1200mm



Length

2500mm standard
(2400mm other lengths available)



Depth/Thickness

12mm standard
(10mm also available)



Weight

17.6kg/m² (12mm panel)



Density

1400 (+/- 100) kg/m³

Experience Unmatched Performance Today!

ProcellaPro®'s low absorbency sets it apart from other materials like plasterboard and timber fibres, making it highly desirable for construction projects. Request your ProcellaPro® samples today and discover the endless possibilities it offers.

Efficiency Meets Installation Ease

Valcan understands the value of time in the construction industry. ProcellaPro® comes pre-squared to a large format sheet size of 2500 x 1200mm, ensuring efficient installations and faster lead times. Say goodbye to delays and embrace seamless progress.

Enhancing Safety and Excellence in Construction Projects

For more information and to request your ProcellaPro® samples, contact Valcan at **01278 428245** or email **enquiries@valcan.co.uk**. Trust the strength of ProcellaPro® to enhance the safety and excellence of your construction projects.





Dunball House,
Woodlands Court Business Park,
Bristol Rd,
Bridgwater, Somerset
TA6 4FJ

enquiries@valcan.co.uk
www.valcan.co.uk



procellapro[®]
Non-combustible Sheathing Board