




The Defining Standard

# NON- COMBUSTIBLE SHEATHING BOARD

Valcan ProcellaPro®





## **INTRODUCING PROCELLAPRO®:** THE ULTIMATE NON-COMBUSTIBLE **BUILDING SOLUTION**

#### BUILD WITH CONFIDENCE AND SAFETY

Discover Procella Pro, the A1 fire-rated, calcium silicate-based fibre cement board by Valcan

Engineered for structural strength and noncombustibility, Procella Pro is the trusted choice for projects requiring the highest level of fire safety.

#### UNLOCK THE POTENTIAL OF PROCELLAPRO®

Procella Pro offers exceptional rigidity, strength, and remarkable sound damping capabilities with its standard 12mm thickness.

This versatile building material is ideal for various applications, providing reliability and durability.

#### **UNMATCHES PERFORMANCE AND** VERSATILITY

ProcellaPro proudly holds an impressive A1 rating to BS EN 13501-1, with a PCS value of 0.85MJ/kg and Thermal value of 0.20W/mk. Free from wood chips found in some cement particle boards, it is suitable for projects over 11m in height. Architects and construction professionals trust ProcellaPro® for its performance and versatility.



**Picture:** Procella Pro installation at Burrells Wharf in London.



## UNMATCHED BENEFITS FOR YOUR PROJECT



**Sound Dampening Properties:** Create peaceful & serene environments with ProcellaPro's excellent sound dampening capabilities.



**Non-Combustible:** Ensure utmost safety and compliance with the highest fire safety standards.



**Easy On-Site Cutting:** Procella Pro is a breeze to cut, allowing for precise and efficient installations tailored to your project's needs.



**Unparalleled Strength:** Experience the remarkable strength and stability of ProcellaPro in every application.



**Swift Lead Times:** Time is of the essence, and ProcellaPro is designed to expedite your construction process.



**Screw-Friendly Panel:** Easily secure insulation fixings onto ProcellaPro for added convenience and efficiency.





APPLICATIONS AS DIVERSE AS YOUR IMAGINATION

ProcellaPro excels in various applications, including:

External face of SFS/stud framing

Internal wall linings

Tile backer board


Roofing board

Ceilings

Render boards



ProcellaPro samples available on request.





## Width

1200mm



## Length

2500mm standard (2400mm other lengths available)

## Depth/Thickness

/<u>a</u>\

## Weight

17.6kg/m2 (12mm panel )



## Density

1400 (+/- 100) kg/m3

## EXPERIENCE UNMATCHED PERFORMANCE TODAY!

Procella Pro's low absorbency sets it apart from other materials like plasterboard and timber fibres, making it highly desirable for construction projects. Request your Procella Pro® samples today and discover the endless possibilities it offers.

#### **EFFICIENCY MEETS INSTALLATION EASE**

Valcan understands the value of time in the construction industry. ProcellaPro comes pre-squared to a large format sheet size of 2500 x 1200mm, ensuring efficient installations and faster lead times. Say goodbye to delays and embrace seamless progress.

## ENHANCING SAFETY AND EXCELLENCE IN CONSTRUCTION PROJECTS

For more information and to request your ProcellaPro samples, contact Valcan on **01278 428245** or email **enquiries@valcan.co.uk**.

Trust the strength of ProcellaPro to enhance the safety and excellence of your construction projects.

Valcan Procella Pro has achieved the following certification. Full details and downloads can be found at www.valcan.co.uk.













Dunball House, Woodlands Court Business Park, Bristol Rd, Bridgwater, Somerset

procellapro<sup>®</sup>

Non-combustible Sheathing Board

TA6 4FJ